

# **SMCFD CERT**

# **Victim Data Form**


Victim Name & Description (age, sex, body build, estimated height)	Date	Time in	Date	Time out
	Brought in by:		Sent to:	

### **Primary Assessment**

TIME			DECDIDATION (4)		PERFUSION			OTHER	
TIME TRIAGE		RESPIRATION (1)		Blanch (2) Pulse (3)		se (3)	ALERTNESS	OTHER	
Hours	Minor, Delayed, Immediate	Rate/min.	Deep, Shallow, Noisy, Labored	Less than 2 seconds, okay	Rate/min.	Strong, Weak, Absent	Alert, Confused, Unresponsive	Pain, Anxiety, Thirst, Etc.	

<sup>1)</sup> Respiration: 12 to 20 per minutes is Normal.

3) Pulse: 50 to 100 is Normal.







# Deformation Contusions Abrasions Punctures Burns

**Head to Toe Assessment** 

6. Tenderness

7. Lacerations

8. Swelling

Place number on site of injury/pain

FC CERT revision date: 3/26/2014

<sup>2)</sup> Perfusion: Less than 2 sec is Normal; More than 2 sec. treat for Shock



# SMCFD CERT

## **Victim Data Form**

Victim Name & Description (age, sex, body build, estimated height)

Mary Smith - female Late 40's, thin, 5'4

Date Time in Time out 1305 11/1/14 1350 Brought in by: Sent to: CERT team A


Primary Asses	Sillelli	Ι		T					
TIME TRIAGE		RESPIRATION (1)		PERFUSION Blanch (2) Pulse (3)			MENTAL ALERTNESS	OTHER	
Minor, Hours Delayed, Immediate	Rate/min.	Deep, Shallow, Noisy, Labored	Less than 2 seconds, okay	Rate/min.	Strong, Weak, Absent	Alert, Confused, Unresponsive	Pain, Anxiety, Thirst, Etc.		
1305	0	15		015		strong	Alert	Pain in Stomac	
1310	D	15		OK		Strong	Alert	Pain increasing in Stomach	
1320	D	19		ok		strong	Alert	α "	
1330	I	25		oK		Meak	confused	Pain worse	
1340	I	27		OK		weak	Confused	Unable to sta	
1345	I	30		OK		Weak	Confused	(c )/	


<sup>1)</sup> Respiration: 12 to 20 per minutes is Normal.

3) Pulse: 50 to 100 is Normal.

Other Notes

Patient transferred via ambulance to kaiser, RWC





Head to Toe Assessment
1. Deformation
2. Contusions
3. Abrasions
4. Punctures
5. Burns
6. Tenderness
7. Lacerations
8. Swelling

FC CERT revision date: 3/26/2014

Place number on site of injury/pain

<sup>2)</sup> Perfusion: Less than 2 sec is Normal; More than 2 sec. treat for Shock